

Changing from Comvax to Hiberix

<u>2</u> previous doses of Comvax given:	
Already given:	
2 months	Infanrix-IPV, Comvax Prevenar, Rotateq
4 months	Infanrix-IPV, Comvax Prevenar, Rotateq
6 months	Infanrix-IPV Prevenar, Rotateq
From 12 months give the following:	
12 months	Comvax (or Hiberix and Paediatric Hepatitis B) Priorix, Meningitec
18 months	Varilrix
4 years	Infanrix-IPV, Priorix

<u>1</u> previous dose of Comvax given:	
Already given:	
2 months	Infanrix-IPV, Comvax Prevenar, Rotateq
4 months	Infanrix-Hexa Prevenar, Rotateq
6 months	Infanrix-Hexa Prevenar, Rotateq
From 12 months give the following:	
12 months	Hiberix Priorix, Meningitec
18 months	Varilrix
4 years	Infanrix-IPV, Priorix

<u>No</u> previous doses of Comvax given:	
Already given:	
2 months	Infanrix-Hexa Prevenar, Rotateq
4 months	Infanrix-Hexa Prevenar, Rotateq
6 months	Infanrix-Hexa Prevenar, Rotateq
From 12 months give the following:	
12 months	Hiberix Priorix, Meningitec
18 months	Varilrix
4 years	Infanrix-IPV, Priorix

REMEMBER! Before you use Hiberix, it must be reconstituted!