

Immunisation is important
























This poster shows the vaccines used in the National Immunisation Program Schedule in Queensland.

The smaller poster (A4) is for vaccines for use in children up to 4 years of age, while the larger poster (A3) covers vaccines recommended from birth to 65 years.

National Immunisation Program Schedule Queensland (from 1 March 2008)

IMMUNISE
AUSTRALIA PROGRAM

An Australian, State & Territory
Governments initiative

Age	Vaccine and Antigens	Additional Vaccine for Medical Risk Children ¹	Additional Vaccines for Aboriginals & Torres Strait Islanders
Birth	 H-B-VaxII paediatric Hepatitis B birth dose administered within 7 days of birth		
2, 4 and 6 months	 Infanrix[®] hexa » Diphtheria-tetanus-pertussis-hepatitis B-inactivated poliomyelitis-Haemophilus Influenzae type B (Hib) Infanrix [®] hexa must be reconstituted with PRP-T (Hib) supplied with the vaccine	 RotaTeq[®] 2 » Rotavirus Oral vaccine	 Prevenar[®] » 7vPCV
12 months	 Priorix[®] » Measles-mumps-rubella MMR must be reconstituted with diluent supplied with the vaccine	COMVAX[®] 3 » Hib (PRP-OMP)-hepatitis B OR  Hiberix[®] 3 » Hib (PRP-T) Hiberix [®] must be reconstituted with diluent supplied with the vaccine	 Meningitec[®] » Meningococcal C
18 months		 Varilrix[®] » Varicella-zoster Varicella must be reconstituted with diluent supplied with the vaccine	 Prevenar[®] » 7vPCV
24 months			 VAQTA[®] » Hepatitis A paediatric
4 years	 Priorix[®] » Measles-mumps-rubella MMR must be reconstituted with diluent supplied with the vaccine	 Infanrix[®] IPV » Diphtheria-tetanus-pertussis-inactivated poliomyelitis	 PNEUMOVAX 23[®] » 23vPPV
Year 8	 H-B-VaxII[®] – Adult ⁴ 2 doses	 Varilrix[®] 4 » Varicella-zoster Varicella must be reconstituted with diluent supplied with the vaccine	 GARDASIL[®] 4 » Human Papillomavirus 3 doses
Year 10	 Boostrix[®] 4 » Diphtheria-tetanus-pertussis		 PNEUMOVAX 23[®] 5 » 23vPPV Fluvax[®] or Vaxigrip[®] » Influenza
15 to 49 years			 PNEUMOVAX 23[®] » 23vPPV Fluvax[®] or Vaxigrip[®] » Influenza
50 years & over			 PNEUMOVAX 23[®] » 23vPPV Fluvax[®] or Vaxigrip[®] » Influenza <small>(see images above & left)</small>
65 years & over	 PNEUMOVAX 23[®] » 23vPPV Fluvax[®] or Vaxigrip[®] » Influenza	 Vaxigrip[®]	 PNEUMOVAX 23[®] » 23vPPV Fluvax[®] or Vaxigrip[®] » Influenza
















Schedule Key

- 1 Only high-risk underlying medical conditions (refer to current Australian Immunisation Handbook).
- 2 There is no catch-up for Rotavirus. If dose 1 is not given by the end of the 12th week do not commence course. If dose 2 is not given by the end of the 28th week it can be given up to the end of the 32nd week but infants should not receive dose 3.
- 3 Children will receive either COMVAX[®] or Hiberix[®] depending on whether they have completed their six month vaccinations before 1 March 2008. Refer to Tip Sheet published 1 March 2008.
- 4 Catch-up for school program vaccines is available from GPs or vaccinating clinic.
- 5 Indigenous adults aged 15–49 years with risk factors (as defined in *The Australian Immunisation Handbook*).

Population Health Units

Brisbane Northside	3624 1111
Brisbane Southside	3000 9148
Cairns	4050 3600
Darling Downs	4631 9888
Gold Coast	5509 7222
Hervey Bay	4120 6000
Mackay	4968 6611
Mount Isa	4744 4846
Rockhampton	4920 6989
Sunshine Coast	5409 6600
Townsville	4753 9000

National Immunisation Program Schedule Queensland (from 1 March 2008)

Age	Vaccine and Antigens		Additional Vaccine for Medical Risk Children ¹	Additional Vaccines for Aboriginals & Torres Strait Islanders
Birth	 H-B-VaxII paediatric Hepatitis B birth dose administered within 7 days of birth			
2, 4 and 6 months	 Infanrix[®] hexa » Diphtheria-tetanus-pertussis-hepatitis B-inactivated poliomyelitis-Haemophilus Influenzae type B (Hib) Infanrix [®] hexa must be reconstituted with PRP-T (Hib) supplied with the vaccine	 RotaTeq[®] 2 » Rotavirus Oral vaccine	 Prevenar[®] » 7vPCV	As for routine childhood immunisation PLUS the vaccines below
12 months	 Priorix[®] » Measles-mumps-rubella MMR must be reconstituted with diluent supplied with the vaccine	COMVAX[®] 3 » Hib (PRP-OMP)-hepatitis B OR  Hiberix[®] 3 » Hib (PRP-T) Hiberix [®] must be reconstituted with diluent supplied with the vaccine	 Meningitec[®] » Meningococcal C	 Prevenar[®] » 7vPCV
18 months	 Varilrix[®] » Varicella-zoster Varicella must be reconstituted with diluent supplied with the vaccine			 VAQTA[®] » Hepatitis A paediatric
24 months				 VAQTA[®] » Hepatitis A paediatric  PNEUMOVAX 23[®] » 23vPPV
4 years	 Priorix[®] » Measles-mumps-rubella MMR must be reconstituted with diluent supplied with the vaccine	 Infanrix[®] IPV » Diphtheria-tetanus-pertussis-inactivated poliomyelitis	 PNEUMOVAX 23[®] » 23vPPV	

Schedule Key

- 1 Only high-risk underlying medical conditions (refer to current Australian Immunisation Handbook).
- 2 There is no catch-up for Rotavirus. If dose 1 is not given by the end of the 12th week do not commence course. If dose 2 is not given by the end of the 28th week it can be given up to the end of the 32nd week but infants should not receive dose 3.
- 3 Children will receive either COMVAX[®] or Hiberix[®] depending on whether they have completed their six month vaccinations before 1 March 2008. Refer to Tip Sheet published 1 March 2008.

Population Health Units

Brisbane Northside	3624 1111
Brisbane Southside	3000 9148
Cairns	4050 3600
Darling Downs	4631 9888
Gold Coast	5509 7222
Hervey Bay	4120 6000
Mackay	4968 6611
Mount Isa	4744 4846
Rockhampton	4920 6989
Sunshine Coast	5409 6600
Townsville	4753 9000